

Philips
Speaker wire

40 ft
RCA plugs

SWA2406W



Ensure a reliable connection

with this speaker wire

Depend on this speaker wire to provide you with a reliable audio connection between your speakers and tuner

Enjoy good audio quality

• High purity copper conductor for reliable signal transfer

Easy installation

- · Color coded cable for easy polarity identification
- · Plug and play for easy use

Enjoy extended durability

· Flexible PVC jacket

Environmentally friendly

• Environmentally friendly lead-free construction



Specifications

Packaging dimensions

- Packaging dimensions (W x H x D): 7.0 x 19.7 x 3.8 cm
- Packaging dimensions (W x H x D): 2.75 x 7.75 x 1.5 inch
- Nett weight: 0.100 kg
- Nett weight: 0.22 lb
- Gross weight: 0.110 kg
- Gross weight: 0.243 lb
- Tare weight: 0.010 kg
- Tare weight: 0.022 lb
- UPC: 6 09585 16310 2
- · Number of products included: I
- Packaging type: Blister

Outer Carton

- Outer carton (L x W x H): 43.2 x 41.9 x 28.6 cm
- Outer carton (L x W x H): 17 x 16.5 x 11.25 inch
- Nett weight: 7.185 kg

- Nett weight: 15.84 lb
- Gross weight: 8.537 kg
- Gross weight: 18.82 lb
- Tare weight: 1.352 kg
- Tare weight: 2.98 lb
- GTIN: 1 06 09585 16310 9
- Number of consumer packagings: 72

Inner Carton

- Inner carton (L x W x H): $20.3 \times 12.7 \times 13.2 \text{ cm}$
- Inner carton (L x W x H): 8 x 5 x 5.18 inch
- Nett weight: 0.630 kg
- Nett weight: 1.389 lb
- Gross weight: 0.680 kg
- Gross weight: 1.499 lb
- Tare weight: 0.050 kg
- Tare weight: 0.11 lb
- GTIN: 2 06 09585 16310 6
- Number of consumer packagings: 6

SWA2406W/27

Product highlights

Color coded cables

Tinned copper and bare copper conductors provide easy polarity identification.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

High purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.



Issue date 2008-09-24

© 2008 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 1.1.3

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 47879 UPC: 6 09585 16310 2

www.philips.com